


KOOIJ

KOOIJ BV
KANONNENLOODS 24
1505RX ZAANDAM
THE NETHERLANDS

OFFICE@KOOIJ.COM
KOOIJ.COM



Meltingpot Stadium


9-16P INSTALLATION INSTRUCTIONS

Meltingpot Stadium

9-16P INSTALLATION INSTRUCTIONS

OVERVIEW


The extra parts needed for the larger models are shown in grey.




TOOLS & HARDWARE

(Items below are not included)

- ① Wrench #13
- ② Hex key #6




For assembling the Meltingpot, we recommend having several people assist. Ideally, 3–4 persons should support the parts during assembly.



1 ASSEMBLE THE LEG STRUCTURE

Use the larger half-moon fixtures (6) to secure the structural beam (3) to the legs (2). Align the protruding rods on the legs with the fixtures and fasten them with the bolts, making sure they are tightened securely. This step is easiest with multiple people holding the beam straight. For 12-16P tables, also attach the 'wings' (4) to the outer side of each leg in the same way. For 9-10P tables, these parts are not required and are not included.




2 ATTACH THE RODS

Take one half of the tabletop and attach the rods (9) using the smaller half-moon fixtures (5). Make sure each fixture is tightened securely.


3 PLACE THE TOP

Carefully place the two halves of the table onto the legs, aligning the rods on one edge with the holes on the other half. Make sure several people are available to support the parts during assembly.



3 SECURE THE TWO HALVES

While positioned beneath the table, carefully join the two halves using the remaining smaller half-moon fixtures (5), ensuring each is tightened securely.



3 SECURE THE LEGS

Attach the legs to the tabletop using the supplied bolts (8) and a hex key. Make sure each bolt is tightened securely. Your Meltingpot table is now fully assembled.

